MYCOLOGIA

OFFICIAL ORGAN OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME XLVIII, 1956

CONSISTING OF vi + 902 PAGES,
INCLUDING FIGURES

LANCASTER PRESS, INC., LANCASTER, PA.

TABLE OF CONTENTS

No. 1. January–February

The anaerobic dissimulation of glucose by Fusarium lini, Vincent W. Cochrane 1

Studies on the mechanics of growth in the common mushroom, Agaricus campestris, John Tyler Bonner, K. Kent Kane and Raphael H. Levey 13

Simultaneous self-stimulation and self-inhibition of uredospore germination, C. E. Yarwood 20

Physiological studies of some fungi associated with pole blight of western white pine, Charles D. Leaphart 25

The association of yeasts with certain bark beetles, M. Shifrine and H. J. Phaff 41

The perfect stage of Hormodendrum pedrosoi, César A. Fuentes and Frederick A. Wolf 56

Studies on Trichophyton tonsurans. I. The taxonomy of T. tonsurans, Lucille K. Georg 65

Undescribed species of Synchytrium, John S. Karling 83

Type studies of the polypores described by Karsten, Josiah L. Lowe 99

Uredinales parasitizing grasses of the tribe Chlorideae, Joe F. Hennen and George B. Cummins 126

The occurrence of Arachniotus citrinus in soil, Billy West and Libero Ajello 163

Notes and Brief Articles 166

Bonorden: Histoplasma. Snell and Dick: Polypores. Ragab: Fungi of Egypt. A new microbiological journal.

No. 2. March–April

Factors affecting growth and differentiation in simple slime molds, Kenneth B. Raper 169

Studies on the development of asexual reproductive structures in Pilobolus, Robert M. Page 205

The relation between cellular metabolism and morphogenesis in Blastocladiella, Edward C. Cantino 225

Lysozyme-induced sensitivity of Neurospora ascospores to furfural, R. J. Lowry, A. S. Sussman and Berta Heidenhain 241

Deamination and degradation of amino acids by Streptomycetes, David Gottlieb and Orio Ciferri 253

Histoplasma duboisii and large forms of Histoplasma capsulatum, R. Vanbreuseghem 264

Additions to the phycomycete flora of the Douglas Lake Region. II. New chytridiaceous fungi, R. A. Paterson 270

New species and varieties of Clavaria from Michigan, Chester R. Leathers. 278

The cytology of Xenogloea eriophori, C. J. KAO 288
Notes on Boletes. IX, WALTER H. SNELL AND ESTHER A. DICK 302
Dacrymyces palmatus, LORENE L. KENNEDY 311
Occurrence of Tricellula inaequalis in the United States, MORRIS A. GORDON .. 320
Notes and Brief Articles 324
Lowy: Sirobasidium. Snell and Dick: An unusual phalloid. Routien: Boudiera.

No. 3. MAY–JUNE

The influence of certain sugars on the antifungal activity of sodium pyridinethione, SAMUEL M. RINGEL AND E. S. BENEKE 329
Lipid synthesis in Hansenula anomala, THOMAS D. BROCK 337
Spore germination in Sordaria fimicola, EDWARD F. BUTLER 345
Sexual versus asexual reproduction in Glomerella, H. E. WHEELER 349
Studies on Trichophyton tonsurans. II. Morphology and laboratory identification, LUCILLE K. GEORG 354
Rhodotorula glutinis, C. E. SKINNER AND M. JOAN HUXLEY 371
Frozen storage for stock cultures of fungi, J. W. CARMICHAEL 378
Cercospora leaf spot of Abelia, A. G. PLAKIDAS 382
The genus Phlebia, WM. BRIDGE COOKE 386
Ustilaginales from Bihar. I. Two new species, J. N. MISHRA 406
The relationship of Cudoniella and Helotium, E. B. MAINS 410
Abortion reactions to infection by Synchytrium brownii, JAMES T. SINSKI ... 420
Synchytrium borreriae, an endophytic alga, B. T. LINGAPPA 427
Additions to the phycomycete flora of the Douglas Lake region. III. A new species of Scherffeliomyces, ROBERT M. JOHNS 433
Elizabeth Eaton Morse, LEE BONAR 439
Notes and Brief Articles 443
Cantino and Horenstein: Blastocladiella; Fuentes & Wolf: Microascus; Covert: Colony mounts; Carmichael: Cellophane technique.
Reviews 454

No. 4. JULY–AUGUST

Dr. W. A. Murrill 457
The influence of environmental factors on cultural characters of Fusarium species, ANNA T. ZACHARIAH, H. N. HANSEN AND WILIAM C. SNYDER .. 459
The influence of actidione on wood-staining fungi, CHARLES L. FERGUS 468
Antifungal properties of tetrazolium compounds, ALBERT SCHATZ, VIVIAN SCHATZ AND GILBERT S. TRELAWNY 473
Recovery of the component strains from dikaryotic mycelia, PHILIP G. MILES AND JOHN R. RAPER 484
Marine fungi I. Leptosphaeria and Pleospora, T. W. JOHNSON, JR. 495
Development of the ascocarp of Anthracobia melaloma, MARTIN A. ROSINSKI. 506
Development of Synchytrium innominatum in relation to other similar species, JOHN S. KARLING 534
An undescribed fungus causing a root rot of strawberry, PAUL E. NELSON AND STEPHEN WILHELM 547

Spot anthracnose of linden, D. W. CREELMAN 552
The identification of the Curvularia parasite of Gladiolus, J. A. PARMELEE 558
Haplosporangium in Saskatchewan rodents, A. BAKERSPIGEL 568
Some fungal parasites of Portulacaceae, D. B. O. SAVILE AND J. A. PARMELEE 573
Nomenclatural notes. I. Misuse of neotypes for Venturia and Phaeosphaerella, RICHARD P. KORF 591
Perpetuation of the brown rust of barley in Attica, P. CRITOPOULOS 596
Nomenclatural changes for some North American Uredinales, GEORGE B. CUMMINS 601
A rotary shaking machine for laboratory use, LEO KAPLAN 609
Notes and Brief Articles 612
Routien; Stemonitis; Limber: Sporonema; Fuentes: Microsporum
Reviews 615

No. 5. SEPTEMBER–OCTOBER

Factors affecting the production of zygospores by Choanephora cucurbitarum, H. L. BARNETT AND V. G. LILLY 617
Effect of iron, zinc, manganese and calcium on the growth of various strains of Streptomyces, ALLEN H. HEIM AND HUBERT LECHEVALIER 628
Some viewpoints on the phylogeny of rust fungi. II. Gymnosporangium, E. E. LEPPIK 637
Supplementary developmental stages of Basidiobolus ranarum and Basidiobolus heptosporus, CHARLES DRECHSLER 655
The cytology of Syzygospora alba, C. J. KAO 677
Spontaneous mutation in Gelasinospora calospora, a homothallic fungus, G. B. WILSON AND CONST. J. ALEXOPOULOS 685
A new genus of the Tremellaceae, MARION D. ERVIN 690
North American species of the Geoglossaceae. Tribe Cudonieae, E. B. MAINS 694
Daleomyces, Durandiomyces, and other sparassoid forms of operculate Discomycetes, RICHARD P. KORF 711
New genera of fungi. VII, ROLF SINGER 719
Tropical Fungi Imperfecti, EVERETT F. MORRIS 728
Chaetoseptoria wellmanii in Mexico, WILLIAM D. YERKES, JR. 738
Some leafspot fungi on western Gramineae. X, RODERICK SPRAGUE 741
Gasteromycetes from Panama and Costa Rica, J. H. B. GARNER 757
Observations on chytridiaceous parasites on phanerogams. V. The occurrence of Physoderma butomi and P. vagans in the United States, F. K. SPARROW 765
Notes and Brief Articles 767
Steyaert: Pestalotia; Singer: Boletus; Laboratory courses; Civil Service
Reviews 771

No. 6. NOVEMBER–DECEMBER

The stimulatory effect of light upon growth and CO_2 fixation in Blastocladiella. I. The S. K. I. cycle, EDWARD C. CANTINO AND E. A. HORENSTEIN 777
In vitro effect of mycothricin on plant pathogenic bacteria and fungi, G. RANGASWAMI 800

Observations on Gymnoascaceae. III. Developmental morphology of Gymnoascus reessii, a new species of Gymnoascus and Eidamella reflexa, HAROLD H. KUEHN 805
A preliminary survey of the genus Platygloea, ROBERT J. BANDONI 821
Marine Fungi. II. Ascomycetes and Deuteromycetes from submerged wood, T. W. JOHNSON, JR. 841
The Pleurotus-hirtus-complex, ROLF SINGER 852
A new genus of downy mildew on sorghum, P. N. RAO, M. A. SALAM AND M. J. THIRUMALACHAR 860
The genus Retinocyclus, J. WALTON GROVES AND DOREEN E. WELLS 865
The Ustilaginales of Bihar. II. Five undescribed species, J. N. MISHRA 872
Notes and Brief Articles 877
Lange: *Picoa;* Kennedy: *Dacrymyces;* Plakidas: *Cercospora;* Goos: *Melanospora;* Schatz et al.: Amino acids; Mycological program at New York; Covert: Colony mounts; Stain certification; Financial Report.
Index 888

INDEX TO VOLUME XLVIII *

INDEX TO AUTHORS AND TITLES

Ajello, Libero. See West and Ajello 163

Alexopoulos, Const. J. See Wilson and Alexopoulos 685

Bakerspigel, A. *Haplosporangium* in Saskatchewan rodents 568

Bandoni, R. J. A preliminary survey of the genus *Platygloea* 821

Barnett, H. L., and V. G. Lilly. Factors affecting the production of zygospores by *Choanephora cucurbitarum* 617

Beneke, E. S. See Ringel and Beneke 329

Bonar, Lee. Elizabeth Eaton Morse 439

Bonner, John Tyler, K. Kent Kane, and Raphael H. Levey. Studies on the mechanics of growth in the common mushroom, *Agaricus campestris* 13

Bonorden, Roland. Growth of the yeast phase of *Histoplasma capsulatum* in simplified fluid medium 166

Brock, Thomas D. Lipid synthesis in *Hansenula anomala* 337

Butler, Edward E. Spore germination in *Sordaria fimicola* 345

Cantino, Edward C. The relation between cellular metabolism and morphogenesis in *Blastocladiella* 225

——, **and E. A. Horenstein.** Gamma and the cytoplasmic control of differentiation in *Blastocladiella* 443

——, ——. The stimulatory effect of light upon growth and CO_2 fixation in *Blastocladiella*. I. The S. K. I. Cycle 777

Carmichael, J. W. Frozen storage for stock cultures of fungi 378

——. The cellophane technique for studying morphology and hyphal fusions in fungi 450

Ciferri, Orio. See Gottlieb and Ciferri 253

Cochrane, Vincent W. The anaerobic dissimulation of glucose by *Fusarium lini* 1

Cooke, Wm. Bridge. The genus *Phlebia* 386

Covert, Scott V. Colony mounts of fungi 448, 885

Creelman, D. W. Spot anthracnose of linden 552

Critopoulos, P. Perpetuation of the brown rust of barley in Attica 596

Cummins, George B. Nomenclatural changes for some North American Uredinales 601

——. See Hennen and Cummins 126

Dick, Esther A. See Snell and and Dick 167, 302, 327

Drechsler, Charles. Supplementary developmental stages of *Basidiobolus ranarum* and *Basidiobolus haptosporus* 655

Ervin, Marion D. A new genus of the Tremellaceae 690

Fergus, Charles L. The influence of actidione on wood-staining fungi 468

* This index prepared by Eleanor Ruggeri Cioffi.

Fuentes, César A. A new species of *Microsporum* 613
——, **and Frederick A. Wolf.** The perfect stage of *Hormodendrum pedrosoi* 56
——, ——. *Microascus pedrosoi* is *M. cinereus*—a correction 446
Garner, J. H. B. Gasteromycetes from Panama and Costa Rica 757
Georg, Lucille K. Studies on *Trichophyton tonsurans.* I. The taxonomy of *T. tonsurans* 65
——. II. Morphology and laboratory identification 354
Goos, Roger D. On *Melanospora episphaeria* 881
Gordon, Morris A. Occurrence of *Tricellula inaequalis* in the United States 320
Gottlieb, David, and Orio Ciferri. Deamination and degradation of amino acids by streptomycetes 253
Groves, J. Walton, and Doreen E. Wells. The genus *Retinocyclus* 865
Hansen, H. N. See Zachariah, Hansen, and Snyder 459
Heidenhain, Berta. See Lowry, Sussman, and Heidenhain 241
Heim, Allen H., and Hubert Lechevalier. Effect of iron, zinc, manganese and calcium on the growth of various strains of *Streptomyces* 628
Hennen, Joe F., and George B. Cummins. Uredinales parasitizing grasses of the tribe Chlorideae 126
Horenstein, E. A. See Cantino and Horenstein 443, 777
Huxley, M. Joan. See Skinner and Huxley 371
Johns, Robert M. Additions to the phycomycete flora of the Douglas Lake region. III. A new species of *Scherffeliomyces* 433
Johnson, T. W., Jr. Marine Fungi. I. *Leptosphaeria* and *Pleospora* 495
——. II. Ascomycetes and Deuteromycetes from submerged wood 841
Kao, C. J. The cytology of *Xenogloea eriophori* 288
——. The cytology of *Syzygospora alba* 677
Kane, K. Kent. See Bonner, Kane, and Levey 13
Kaplan, Leo. A rotary shaking machine for laboratory use 609
Karling, John S. Undescribed species of *Synchytrium* 83
——. Development of *Synchytrium innominatum* in relation to other similar species 534
Kennedy, Lorene L. *Dacrymyces palmatus* 311
——. The names *Dacrymyces stillatus* and *Dacrymyces abietinus* 878
Korf, Richard P. Nomenclatural notes. I. Misuse of neotypes for *Venturia* and *Phaeosphaerella* 591
——. *Daleomyces, Durandiomyces,* and other sparassoid forms of operculate Discomycetes 711
Kuehn, Harold H. Observations on Gymnoascaceae. III. Developmental morphology of *Gymnoascus reessii,* a new species of *Gymnoascus* and *Eidamella deflexa* 805
Lange, Morten. A new species of *Picoa* 877
Leaphart, Charles D. Physiological studies of some fungi associated with pole blight of western white pine 25
Leathers, Chester R. New species and varieties of *Clavaria* from Michigan 278
Lechevalier, Hubert. See Heim and Lechevalier 628
Leppik, E. E. Some viewpoints on the phylogeny of rust fungi. II. *Gymnosporangium* 637
Levey, Raphael H. See Bonner, Kane, and Levey 13
Lilly, V. G. See Barnett and Lilly 617

Limber, Donald P. A note on *Sporonema pulvinatum* Shear 612
Lingappa, B. T. *Synchytrium borreriae*, an endophytic alga 427
Lowe, Josiah L. Type studies of the polypores described by Karsten 99
Lowry, R. J., A. S. Sussman, and Berta Heidenhain. Lysozyme-induced sensitivity of *Neurospora* ascospores to furfural 241
Lowy, Bernard. A note on *Sirobasidium* 324
Mains, E. B. The relationship of *Cudoniella* and *Helotium* 410
——. North American species of the Geoglossaceae. Tribe Cudonieae 694
Miles, Philip G., and John R. Raper. Recovery of the component strains from dikaryotic mycelia 484
Mishra, J. N. Ustilaginales from Bihar. I. Two new species 406
——. II. Five undescribed species 872
Mohan, R. R. See Schatz, Trelawny, Schatz, and Mohan 883
Morris, Everett F. Tropical Fungi Imperfecti 728
Nelson, Paul E., and Stephen Wilhelm. An undescribed fungus causing a root rot of strawberry 547
Page, Robert M. Studies on the development of asexual reproductive structures in *Pilobolus* 206
Parmelee, J. A. The identification of the *Curvularia* parasite of *Gladiolus* 558
——. See Savile and Parmelee 573
Paterson, R. A. Additions to the phycomycete flora of the Douglas Lake Region. II. New chytridiaceous fungi 270
Pfaff, H. J. See Shifrine and Pfaff 41
Plakidas, A. G. *Cercospora* leaf spot of *Abelia* 382
——. Note concerning *Cercospora abeliae* 880
Ragab, M. A. A contribution of the fungi of Egypt 167
Rangaswami, G. In vitro effect of mycothricin on plant pathogenic bacteria and fungi 800
Rao, P. N., M. A. Salam, and M. J. Thirumalachar. A new genus of downy mildew on sorghum 860
Raper, John R. See Miles and Raper 484
Raper, Kenneth B. Factors affecting growth and differentiation in the simple slime molds 169
Ringel, Samuel M., and E. S. Beneke. The influence of certain sugars on the antifungal activity of sodium pyridinethione 329
Rosinski, Martin A. Development of the ascocarp of *Anthracobia melaloma* 506
Routien, John B. The development of *Boudiera areolata* on soil in the laboratory 328
——. A slime mold in an unusual habitat 612
Salam, M. A. See Rao, Salam, and Thirumalachar 860
Savile, D. B. O., and J. A. Parmelee. Some fungal parasites of Portulaceae 575
Schatz, A., G. S. Trelawny, V. Schatz, and R. R. Mohan. Respiration of amino acids by *Streptomyces nitrificans* 883
——, **Vivian Schatz, and Gilbert S. Trelawny.** Antifungal properties of tetrazolium compounds 473
Schatz, Vivian. See Schatz, Schatz, and Trelawny 475
——. See Schatz, Trelawny, Schatz, and Mohan 883
Shifrine, M., and H. P. Pfaff. The association of yeasts with certain bark beetles 41

Singer, Rolf. New genera of fungi. VII 719
——. *Boletus iuridus* in North America 768
——. The *Pleurotus-hirtus*-complex 852
Sinski, James T. Abortion reactions to infection by *Synchytrium brownii* 420
Skinner, C. E., and M. Joan Huxley. *Rhodotorula glutinis* 371
Snell, Walter H., and Esther A. Dick. Three Rhode Island polypores 167
——, ——. Notes on Boletes. IX 302
——, ——. An unusual phalloid from Massachusetts 327
Snyder, William C. See Zachariah, Hansen, and Snyder 459
Sparrow, F. K. Observations on chytridiaceous parasites on phanerogams. V. The occurrence of *Physoderma butomi* and *P. vagans* in the United States 765
Sprague, Roderick. Some leafspot fungi on western Gramineae. X 741
Steyaert, R. L. A reply and an appeal to Professor Guba 767
Sussman, A. S. See Lowry, Sussman, and Heidenhain 241
Thirumalachar, M. J. See Rao, Salam, and Thirumalachar 860
Trelawny, Gilbert S. See Schatz, Schatz, and Trelawny 475
——. See Schatz, Trelawny, Schatz, and Mohan 883
Vanbreuseghem, R. *Histoplasma duboisii* and large forms of *Histoplasma capsulatum* 264
Wang, Mrs. Stephen S. See Kao, C. J. 288, 677
Wells, Doreen E. See Groves and Wells 865
West, Billy, and Libero Ajello. The occurrence of *Arachniotus citrinus* in soil 163
Wheeler, H. E. Sexual versus asexual reproduction in *Glomerella* 349
Wilhelm, Stephen. See Nelson and Wilhelm 547
Williams, Marion E. See Ervin, Marion D. 690
Wilson, G. B., and Const. J. Alexopoulos. Spontaneous mutation in *Gelasinospora calospora*, a homothallic fungus 685
Wolf, F. A. See Fuentes and Wolf 56, 446
Yarwood, C. E. Simultaneous self-stimulation and self-inhibition of uredospore germination 20
Yerkes, William D., Jr. *Chaetoseptoria Wellmani* in Mexico 738
Zachariah, Anna T., H. N. Hansen, and William C. Snyder. The influence of environmental factors on cultural characters of *Fusarium* species 459

INDEX TO BIOGRAPHIES, REVIEWS, AND NOTICES

Albritton, E. C. (ed.). Standard Values in Nutrition and Metabolism; review 454
Bärner, J. Bibliographie der Pflanzenschutz-Literatur, 1951; review 614
Christensen, Clyde M. Common Fleshy Fungi, rev. ed.; review 456
Civil Service Announcement 770
Coudert, Jean. Guide Pratique de Mycologie Médicale; review 771
Garrett, S. D. Biology of Root-Infecting Fungi; review 772
Increased charge for stain certification 886
Johnson, Terry W. The Genus *Achlya*. Morphology and Taxonomy; review 774
Laboratory Refresher Training Course 769
Morse, Elizabeth Eaton; biographical note and bibliography 439
Murrill, W. A.; portrait and note 457

Mycological program at New York meeting of A. A. A. S. 885
Mycological Society fellowships 452
Naumov, N. A. The Fungus Flora of the Leningrad Region; review 614
A new microbiological journal [Giornale di Microbiologia] 168
The Gertrude S. Burlingham Fellowship 168

INDEX TO TAXA

New taxa and the pages where they appear are in **bold face type.** An attempt has been made to correct mistakes in the spelling of scientific names where such occur in the text.

Absidia 378
Acaulium 446; albo-nigrescens 446; nigrum 446
Achlya 774; subg. Achlya 775; subg. Centroachlya 775; subg. Subcentrica 775
Achrooinyces 821, 822; effusa 835; fimicola 831; tiliae 821, 831; tumidus 831
Achrotelium **lucumae 601**
Acrasis 193, 198
Acrostalagmus 378
Acrotheca 550
Acrothecium 558; lunatum 558
Actinomucor repens 167
Actinomyces scabies 479
Acytostelium 179, 181, 196–198; **leptosomum 179,** 181, 196, 197
Aecidium banaticum 149; brandegei 146; calirhoes 141; cephalanthi 135; claytonianum 574; delphinii-consolidae 149; fraxini 131; gossypii 132, 141; hyalinum 603; hibisciatum 141; jalapense 605, 606; jamesianum 146; magnatum 159; malvastri 141; malvicola 141; marci 148; napaeae 141; obesum 135; opuntiae 151; plantaginis 148; polemonii 159; raciborskii 149; solms-laubachii 148; sphaeralceae 141; tissae 159
Aerobacter 196
Agaricus calyx 857; campestris 13, 455, 774; hirtus 853; jacksonii 856; pescaprae 722
Agyrium nigricans v. minus 821, 831
Albugo 861; ipomoeae-pandurinae 431; portulacae 588
Aleuria 711; proteana 715; proteana v. proteana 715; proteana v. sparassoides 714, 715; proteana v. slavkoviensis 715
Aleurisma 378
Aleurosporia acuminata 78; effracta 78; plicatilis 78
Allescheria 378
Allomyces 445, 446; cystogenus 167
Alternaria 378, 732; consortiale 732; maritima 842, 843; oleraceae 801–803
Amanita 719
Amauroascus 379
Anthracobia melaloma 506
Antrodia 100; serena 100; serpens 105; serpens v. tuber 100
Anthostomella 379
Aporpium caryae 120
Apostemidium 696
Arachniotus 379; citrinus 163
Arenariomyces 848; cinctus 848, 850; trifurcatus 848
Armillaria 725
Armillariella chrysophylla 726
Arrhytidia enata 838
Ascobolus citrinus 530; furfuraceus 530
Ascochyta 748; brachypodii 755; phleina 748, 749; sorghi 746, 748, 749, 751, 755
Ascocybe grovesii 468–472
Ascophanus carneus 530
Ascotremella 694, 698; turbinata 701
Aspergillus 379, 772; luchuensis 168; niger 10, 801
Auricula 386, 387, 401; strigoso-zonata 402
Auricularia 386, 401, 691, 821; aurantiaca 391; auricula 298; butleri 402; mesenterica 299, 401; persistens 401; reflexa 402; rugosissima 402; rugosissima f. resupinata 402; sordescens 402; strigoso-zonata 402; tenuis 402; tremelloides 400

Bacillus megaterium 250
Bacterium stewartii 801, 802
Baeomyces roseus 705
Basidiobolus haptosporus 655; lacertae 673, 675; meristosporus 657–659, 665, 668, 669, 671, 674, 675; myxophilus 675; ranarum 655
Basidiophora 861
Beauveria 379
Biatorella 865
Bitzea 602; ingae 602
Bjerkandera 100; acricula 100; alborosea 100; chionea 102; cinerata 100; ciliatula 100; colliculosa 101; fennica

101; irpicoides 101; melina 101; mollusca 101; pallescens 102; pellita 102; pura 102; roseomaculata 102, 110, 123; serpula 103; simulans 103; subsericella 103
Blastocladia 238
Blastocladiella 225, 443, 777; emersonii 225–238, 443–445, 777
Blastomyces 265, 379; dermatitidis 568, 569
Boletus erythropus 307; hypocarycinus 307; impolitus 308, 769; luteus 769; luridus 307, 308, 768; miniato-olivaceus v. subluridus 307; regius 309; subvelutipes 307, 308; variegatus 305
Botrytis 379
Botryosphaeria 826
Botryotrichum 379
Boudiera areolata 328
Bourdotia 690, 691; caesia 691; pululahuana 691; pululahuana ssp. caesia 690, 692; pululahuana ssp. galzinii 690
Brachysporium 731; trifolii 559, 562
Brauniella 720
Bubakia **erythroxylonis 601**
Bulgaria 456; inquinans 456

Cadophora brunnescens 469, 470; pini 469
Calocybe 725
Caeoma fraxinatum 131; fraxinites 131; hibisciatum 141; piperianum 602
Caeomurus acuminatus 159; spartinae 159
Caloporus 103; expallescens 103; expallescens v. flavidulus 104
Caloderma petrianum 759, 762
Calvatia candida 757; cyathiformis 757; lilacina 757
Candida 42, 46, 265, 379, 380; albicans 449, 476–478; curvata 44, 46, 47, 50, 51, 53; mycoderma 44, 46, 48, 53; parapsilosis 44, 46, 47, 53; rugosa 44, 46, 48, 54; **silvicola** 44, 46, **47**, 50–54
Cantharellula 725, 726; subg. Pseudoarmillariella 725; subg. Pseudoclitocybe 725, 727; subg. Pseudoomphalina 725; subg. Pseudotricholoma 725, 727; cyathiformis 725; ectypoides 725
Cantharellus odoratus 735
Carbomyces 878
Catathelasma 725
Cephalosporium 379
Ceratocystis 26, 38, 39; pilifera 27, 29, 38, 39
Ceratosphaeria 845, 849, 850
Ceratostomella 42; ulmi 478
Cercospora 382; **abeliae 384**, 880
Cercosporella poagena 744
Chaconia 602; **ingae 602**
Chaetocladium 568
Chaetomium 379
Chaetoporus 115
Chaetoseptoria wellmanii 738
Chlamydoaleurosporia crateriformis 78
Chlorochytrium 429, 431, 432
Choanephora 379; conjuncta 617; cucurbitarum 222, 617
Chromocrea 379
Chrysomyxa **empetri 602; piperiana 602**
Cintractia eriocauli 408
Cincinella 379
Cladosporium 379; herbarum 730
Cladotrichum 730
Clavaria 278; botrytis v. **latispora** 279, **280; cauliflorifformis 278**, 279, 282; **fuscoferruginea** 279, **281**; luteotenerrima v. **borealis** 279, **285**; **phycophila** 279, **286**; pulchra v. **globulina** 279, **285**; **rubicundula** 279, **283**, 284; rufescens 281
Clitocybe 719, 723, 725; calyx 857
Clitocybula 723, 726; abundans 723; cavipes 723
Coccidioides immitis 568, 569
Coenonia 198
Coilomyces schweinitzii 761
Coleopuccinia 646, 647
Coleosporium adenocauloni• 607; aridum 607; **eupatorii 603**; helianthi 298; sidae 298; spigeliae 608; vernoniae 298
Colletotrichum 349, 744; graminicola 744, 750; lagenarium 330–334; lindemuthianum 353; phomoides 330–335
Collybia 723; velutipes 484, 486
Coprinus 379; lagopus 13, 14
Coralliochytrium 433, 436–438; scherffelii 436–438
Cordana pauciseptata 730
Coriolus 103, 104; applanatus 104; simulans v. borealis 104; sulcatus 104; velutinus 104; velutinus v. nigrescens 104
Corticium 389, 827; sect. Ceracea 389; effuscatum 486, 490, 491; ferax 826; hepaticum 402, 404; lividum 389, 404
Cortinarius 456
Corynella atrovirens 865
Cronartium **fusiforme 603**
Cryptococcus 46, 51, 379; diffuens 44, 51, 54; neoformans 44, 51, 54
Cucullaria 697
Cudonia 410, 411, 417, 418, 696, 697, 704, 705; circinans 702, 704–709; confusa 706; constrictospora 705, 709; grisea 705, 708, 709; helvelloides 707; japonica 707; lutea 696, 704–709; monticola 705, 707–709; ochroleuca 704, 705; osterwaldii 709; queletii 411, 412, 414; spathulata 705
Cudonieae 697

Cudoniella 410, 696, 697; acicularis 412–414, 418, 696; aquatica 410, 411; borealis 415, 416; marcida 410; muscorum 415, 416; queletii 410–414, 696; stagnalis 410, 411
Cunninghamella 379
Curvularia 558; andropogonis 559; geniculata 469, 730; lunata 558–567, 731; trifolii 558–567; trifolii f. sp. **gladioli** 560, 563, **566**
Cyathus poeppigii 487, 490, 673; stercoreus 487, 763
Cylindrosporium 743; **andropogoni 741**, 742
Cystoderma 719
Cystopsora 637; pini 469

Dacrymyces 313, 316, 317, 827, 878; abietinus 878; albidus 317; aurantius 311; deliquescens 878–880; palmatus 311; rubiformis 318; stillatus 878
Dacryomitra 313, 316, 319; depallens 318, nuda 314, 316; ramosa 311, 318; stipitata 316
Dacryomyces 878; abietinus 879; aurantius 318; chrysospermus 318; flabellus 318; multiseptatus 318; stillatus 878–880
Dacryopinax 316, 319; elegans 316; spathularia 315
Dacryopsis 311; palmata 311, 318
Daedalea 105, 115; betulina v. porosa 105; candicans 105; confragosa 105, 109, 121; oudemansii v. fennica 105; unicolor 105, 109; variegata 105
Daedaleopsis 105; incana 105
Daleomyces 711; gardneri 713, 715, 716; phillipsii 714; shearii 715, 716
Davisiella elymina 747
Dematium nigrum 196
Dematophora glomerata 63
Dennisiomyces 722–726; glabrescentipes 722; griseus 722
Dermoloma 724–726; atrobrunneum 724; cuneifolium 724
Desmella 637; obovata 608
Diaporthe phaseolorum v. batatatis 464
Dicaeoma 126; bartholomaei 146; boutelouae 144; campulosi 161; chloridis 146; cynodontis 148; diplachnis 146; distichlidis 142; enteropogonis 129; exasperans 140; guaraniticum 133; gymnopogonis 144; hibisciatum 141; kansense 143; jalapense 605; jamesianum 146; leptochloae 150; muhlenbergiae 141; plucheae 606; schedonnardi 141; triodiae 141; varians 149; vexans 139
Dicksonomyces 863; sorghi 863
Dictyoploca holoporphyra 720
Dictyostelium 172, 177, 179, 190, 193, 196; discoideum 171–198; lacteum 179, 191, 196, 198; minutum 179, 187, 191, 193, 196, 201; mucoroides 172, 175, 182, 186, 188, 190, 191, 199, 201; **polycephalum 175**, 179, 183, 186, 187, 192, 195; purpureum 172, 181, 186, 191, 199
Diorchidium boutelouae 144
Diplodia orae-maris 843, 844
Diplophlyctis laevis 273
Diplosporium album 729
Discina ancilis 717; convoluta 717; leucoxantha 717; perlata 717
Disciotis venosa v. reticulata 717
Ditiola 313, 316, 319, 879; radicata 314
Durandiomyces 711; phillipsii 714

Eidamella 815; deflexa 805; papyricola 816, 819, 820; spinosa 815, 816, 819, 820
Ellisiella caudata 744
Elsinoë 552, 553, 555; **tiliae 555**
Endoconidiophora fimbriata 469; moniliformis 469
Endomyces 379; bisporus 41
Endomycopsis 41, 379; bispora 41; guilliermondii 375
Endophyllum **lacus-regis 577–579**, 585, 589
Endothrix acuminatum 78; crateriforme 78
Endostigme 591–595
Endothrix sulfureum 78
Epicoccum purpurascens 168
Epidermophyton 379; floccosum 477
Erwinia atroseptica 801, 802
Erysiphe graminis 755
Escherichia coli 185, 342, 800
Eugymnosporangium 646–650
Exidia 690, 691; alba 691, 692; cartilaginea 691; glandulosa 691; nucleata 691; recisa 691; saccharina 691; tenuis 402; villosa 691
Exidiopsis alba 690, 692

Favolus alveolaris 487
Favotrichophyton 77; floriforme 78
Fayodia subg. Clitocybula 720
Femsjonia 316; luteoalba 316–319
Fomes 106; abietis 106; annosus 114; cajanderi 106, 121; igniarius 122; pini 106; pinicola 100; robustus 106, 122; roseus 492; subroseus 492; tenuis 106; thelephoroides 107
Fusarium 1, 8, 320, 459, 550; episphaeria 461–466; equiseti 168; lateritium 461–466; lini 1, 801; moniliforme 461–466, 478; moniliforme v. subglutinans 745; nivale 459, 745; oxysporum 9, 461–466, 733; oxysporum f. lini 2; oxysporum f. lycopersici 801; rigidiusculum 461–466; roseum 461–466; solani

9, 461–466; tricinctum 460–466; tricothecioides 1, 8
Fusicladium 593

Galactinia 711, 712; proteana 715; proteana v. sparassoides 714; proteana f. sparassoides 715; tosta 716
Geaster 456
Geastrum fimbriatum 761; mirabile 761; rufescens 761; saccatum 761; schweinitzii 761; triplex 761; velutinum 760
Gelasinospora 379; calospora 685; calospora v. autosteira 685
Geoglosseae 696
Geomyces 379; auratus 379
Geotrichum 168, 379, 772; candidum 451
Gerronema 723
Gibbera 592–595; vaccinii 593, 595
Gibberella 462; fujikuroi 167
Gloeocercospora 743; alascensis 742, 743
Gloeoradulum 401
Gloeosporium 349; meinersii 742, 745
Gloeotromera 692; alba 692; pululahuana 692
Gliocladium penicillioides 728
Glomerella 349; cingulata 349
Gonytrichum macrocladum 730
Graphium rigidum 469, 732
Grosmannia 26
Guepiniopsis 316, 879; chrysocomus 879
Guttulina 172
Guttulinopsis 172
Gymnoascus 805; **brevisetosus 813**, 814, 817, 819; reessii 805; setosus 807, 808, 815
Gymnosporangium 637; sect. Bermudiani 645, 648; sect. Biseptatae 638, 644, 648; sect. Clavariiforme 645, 648; sect. Clavipes 638, 644, 648; sect. Communis 645, 648; sect. Confusum 645, 648; sect. Corniculans 646, 648; sect. Cupressi 638, 644, 648; sect. Ellisii 638, 644, 648, 649; sect. Eygymnosporangium 638, 643, 644, 646–650; sect. Eutelium 638; sect. Exterum 645, 648; sect. Globosae 646, 648; sect. Gymnotelium 638, 643, 646–649; sect. Haraeanum 645, 648; sect. Japonicum 645, 648; sect. Juniperinum 645, 648; sect. Juniperi-virginianae 648; sect. Libocedri 638, 644, 648, 649; sect. Miyabei 638, 644, 648; sect. Multiporae 638, 645, 648; sect. Nidusavis 645, 648; sect. Nootkatense 638, 644, 648, 649; sect. Oxycedri 638; sect. Sabinae 638, 646, 648; sect. Speciosae 638, 644, 648; sect. Trachysorum 645, 648; sect. Yamadae 645, 648; amelanchieridis 645; aurantiacum 645; bermudianum 646; betheli 642, 646; biseptatum 639, 641, 644; clavariiforme 642, 645; clavipes 642, 644; confusum 639, 645; corniculans 642, 646; cunninghamiana 641, 644; cupressi 641, 644; ellisii 639, 641, 644; exiguum 645; exterum 641, 645; globosum 641, 646; guatemalianum 606; haraeanum 639, 641, 645; harknessianum 639, 645; **hyalinum 603**, 644; inconspicuum 641, 644; japonicum 641, 645; juniperi-virginianae 642, 646; juniperinum 639, 641, 642, 645; kernianum 645; libocedri 639, 640, 644; miyabei 641, 644; multiporum 645; nelsoni 639, 646; nidusavis 641, 645; nootkatense 640, 644, 648, 649; sabinae 639, 646; speciosum 644; torminali-juniperinum 645; trachysorum 641, 645; transformans 639, 641, 644; tsingchenensis 648; yamadae 645
Gymnotelium 643, 646–649
Gyromitra 711; gigas 715; phillipsii 714, 715

Halophiobolus 847, 848; medusa 849
Hansenia 107; imitata 107
Hansenula 41–47, 52, 376, 377, 379; anomala 337; beckii 41; capsulata 44, 50–53; saturnus 478; silvicola 46, 47
Hantzschia 26
Haplosporangium 379, 568; parvum 568
Heimiomyces 722, 723; brunneipes 723; pruinatipes 723
Helicobasidium 821; fimetarium 831
Helicogloea 298, 821; lagerheimi 299, 838
Helicoma salinum 842, 844
Helminthosporium 746; avenae 801; carbonum 330, 334; catenarium 745, 746; dictyoides 746; gramineum 464, 746; portulacae 589; sorokinianum 743; stenacrum 746, 755; tritici-repentis 746; vagans 746
Helotium 410, 696–698; aciculare 411–418, 696; agariciforme 412, 414; **boreale 415–417**; citrinum 412; clavus 416; cudonioides 413–415; fimetarium 412; herbarum 412
Helvella 717; acicularis 412
Hemiglossum 694
Hendersonia 742, 747; culmicola 742, 747, 748; culmicola v. minor 748
Hendersonula aristidae 747
Herpobasidium 838
Hirneola tenuis 402
Histoplasma 379; capsulatum 163–166, 264, 568; duboisii 264
Hormiscium 842, 843, 850; gelatinosum 469
Hormodendrum 57, 61, 379, 446; compactum 56; pedrosoi 56, 446
Humaria granulata 525

Hyalopsora 298; aspidiotus 294, 299; obovata 608
Hydnum 386
Hydropus 722, 723; marginatus v. rugosodiscus 723
Hygromitra 697
Hymenochaete 401; tabacina 401

Idriella 550; lunata 548–**550**, 551
Inonotus 107; fulvus 107; levis 107; radiatus v. scrobiculatus 107; sulphureopulverulentus 108; triqueter v. purpurascens 108; ufensis 108; vulpinus v. hisingeri 108
Irpex 113
Ischnoderma dryadeum 106
Ithyphallus 456

Jola javensis 299

Kriegeria eriophori 288

Lachnea cretea 529, 530
Lactarius 456
Lactobacillus casei 212, 213; lactis 212
Leccinum aurantiacum 308; chromapes 309
Lentinellus 726, 727
Lentinus ...lvescens 855; nigro-osseus 853; vellereus 854
Lentodiellum concavum 856
Lenzites 108, 115; abietina 108; ambigua 108; betulina 105, 109, 486, 489, 490; laricina 108; ...inicola 108; septentrionalis 109; sibirica 109; sibirica v. unizonata 109; sorbina 109; tricolor 109
Leotia 410, 411, 418, 694–698; acicularis 411; **albiceps** 695, 698, **700**, 702, 703; atrovirens 695, 698–700; chlorocephala 699, 700; circinans 697, 706; lubrica 411, 695–703; lubrica f. lloydii 699; lubrica f. stevensoni 699; lutea 706; punctipes 698; queletii 411, 414; stevensoni 700; stipitata 700; viscosa 695, 698–700
Leptographium 25–27, 37–40; engelmanni 469; lundbergii 26, 469
Leptoporus stipticus 100
Leptosphaeria 495, 749, 841; subg. Euleptosphaeria 503; subg. Scleropleela 503; albopunctata 495, 497–502, 505; avenaria 749; chondri 495; discors 495–498, 500, 502, 505; dryadis 503; dumentorum 503; galiorum 503; **halima** 501, **502**–505; herpotrichoides 749; incarcerata 495, 499, 500, 505; marina 495, 497, 498, 505; maritima 498–505; orae-maris 495, 497, 498, 502, 505; poae 503; scirpi 498; spartinae 495, 499, 500, 505; sticta 495, 499; tenera 503; typharum 503; vagans v. scirpi 498
Leptothyrium macrothecium 613
Leucopaxillus 721, 726; subg. Leucopaxillus 727; spinulosus 727
Lipomyces starkeyi 375
Lulworthia 847, 848; longispora 849; medusa 845, 848, 849; salina 845, 849
Lycogala 760
Lycogalopsis 760; dussi 760; solmsii 760; subiculosa 760
Lycoperdon 760; cepaeforme 758; curtisii 758, 763; ericetorum 758, 763; furfuraceum 758; molle 758, 763; perlatum 758; pusillum 758; spadiceum 758, 763; subincarnatum 757; umbrinum 758; wrightii 758

Macrophoma phlei 749
Madurella 379
Marasmius pallipes 853
Masonia 447; grisea 447
Massaria 846
Massariella 846; **maritima** 842, **846**, 850
Melampsora 647; piscariae 608
Melampsoropsis empetri 602; piperiana 602
Melanoleuca 721, 727; grammopodia 721
Melanospora 379, 882, 883; episphaeria 881; stysanospora 447; zamiae 168
Menispora 550; cobaltina 550
Merulius 386, 389, 401; sect. Coniophori 389; sect. Leptospori 389; fulvus 391; merismoides 391; serpens 111; strigoso-zonatus 401, 403
Metasphaeria australiensis 849; discors 495, 496
Microascus 61–63, 446, 447; cinereus 446; cirrosus 62, 63; intermedius 62; longirostris 62; lunasporus 61–63; nidicola 62; **pedrosoi** 58, 59, **63**, 446; sordidus 62; trigonosporus 61–63, 477; variabilis 62
Micrococcus pyogenes v. aureus 329
Microglossum 694, 697
Micropuccinia rotundata 606
Microsporum 379, 613; audouini 356, 476, 477; canis 356, 477, 478; gypseum 163, 165, 613, 614; **nanum 614**
Milesia consimilis 607
Monascostroma 593
Monascus purpureus 167
Monilia 42, 379
Monochaetia 767
Monosporium 379
Morganella mexicana 759, 760
Mortierella 379
Mucor 379; hiemalis 167
Mutinus caninus 327
Mycena 719; sect. Purae 720; pura 720
Mycobacterium avium 329

Mycogloea 821
Myrothecium roridum 732
Myxotrichum 379, 805; conjugatum 805; deflexum 816–820; emmonsii 805; thaxteri 805; uncinatum 805

Naematelia rubiformis 318
Napomyces 711, 713; gardneri 715
Naumoviella 615
Neocudoniella jezoensis 703
Neogyromitra 717
Neotrichophyton flavum 78; plicatile 78
Neottiosporella 735; **radicata** 734, **735**, 736; triseti 736
Neottiosporis 736
Nephrospora mangini **447**
Neurospora 241, 379; crassa 10; tetrasperma 241, 242, 251, 379
Nigredo acuminata 159; archeriana 155; arguta 152; polemonii 159
Nigrospora 168
Nocardia 379

Obelidium 273
Ocellaria betuli v. nigrescens 831
Odontia 827; lateritia 401
Oidium tonsurans 67, 78
Ombrophila 694, 698, 701; albiceps 698, 700, 701, 703; clavus 411, 416, 698; violacea 698
Omphalia kalchbrenneri 725
Omphalina 723
Oospora 379
Ophiobolus medusa 849
Ophiostoma 472; adiposum 469, 470; canum 469; coeruleum 469, 470; ips 469; majus 469; multiannulatum 469; picea 469, 471, 472; piliferum 469; pini 469; pluriannulatum 469; ulmi 469
Ovularia 593; pusilla 745

Pachycudonia 705; monticola **707**
Paecilomyces 379; varioti 728
Palomyces 848; quadri-remis 848
Panus 853; concavus 856; hirtus 852, 853; infundibulus 854; rudis 853; tigrinus 857, 858
Passeriniella 498, 500
Patella 506
Patellina fragariae 613
Patouillardina cinerea 838
Penicillium 447, 667, 772; brefeldianum 168; chrysogenum 10; notatum 10
Peniophora 389, 683, 827; coccineofulva 400; livida 683
Periconia 729; byssoides 729; cambrensis 729; circinata 729; igniaria 729
Peridermium fusiforme 603; parksianum 602
Peristomium desmosporum 63, **447**
Peritrichospora integra **843**, 848, 850
Peronospora 860, 861, 863; claytoniae 586
Pestalotia 733, 767, 768; dichaeta 733; disseminata 733; pezizoides 733
Pestalotiopsis 733, 767, 768; dichaeta 733; disseminata 733
Peziza 711, 712, 716; subg. Galactinia 712, 713, 716; abietina 878, 880; acicularis 411, 414; oenotherae 613; phillipsii 713, 714; proteana 711–716; proteana v. sparassoides 714; proteana f. **proteana 715**; proteana f. **sparassoides 714–717**; **shearii 716**; sparassiformis 716; tjibodensis 716; vesiculosa f. saccata 716
Phaeophlebia 390, **401**; **strigoso-zonata 401**
Phaeoscopulariopsis 447; bestae 447; paisii 447
Phaeoseptoria festucae 750, 753
Phaeosphaerella 591; macularis 592, 593; maculosa 592, 593; typhae 593
Phakopsora **antiguensis 604**; **cherimoliae 604**; **jatrophicola 604**
Phialea 746
Phialophora 379; verrucosa 56, 57, 730
Phlebia 386; sect. Corticioideae 384; sect. Phlebia 389; sect. Merulioideae 389; acerina 391, 392; albida 388, 390, 391, 395, 405; americana 397; anomala 402, 403; **argentinensis** 390, **394**, 405; **atkinsoniana** 390, **393**, 405; aurantiaca 391; aurantiaca v. contorta 393; blumenaviensis 400; **canadensis** 390, **398**, 405; candida 397; castanea 401; **celtidis** 390, **394**, 404; centrifuga 388, 395; centrifuga v. cervina 397; cervina 400; cinnabarina 388, 391–393; coccineo-fulva 400; contorta 387, 388, 391, 395; coriacea 400; **cystidiata** 390, 393, **395**, 404; deglubens 399; depallens 393; donkii 389, 391, 392; erecta 400; hispidula 402; hydnoidea 401; kreigeriana 391, 395; lirosella 401; macra 395, 397; macra v. roseo-inhalata 395; macra f. roseomarginata 395; marginata 397; mellea 395–397; melleopallens 397; merismoides 387–395; merismoides f. tenuior 393; merulioides 401; mesenterica 401; moelleriana 400; **murrillii** 390, **398**, 404; orbicularis 402; pileata 402, 403; radiata 387–395, 404; radiata α carnea 391; radiata ζ carneo-plumbea 391, radiata γ cinnabarina 391; radiata δ fulgens 391; radiata ε livida 391; radiata v. microspora 393; radiata β pallida 391; radiata f. cerasi-avium 391; reflexa 402; rubiginosa 402, 403; rugisissima

402; sodiroi 399; sordida 400; spilomea 402; strigoso-zonata 401, 402; **subalbida** 390, **397**, 405; tremelloides 400; vaga 400; zonata 402, 403
Phlebiella vaga 400
Phlyctochytrium 273, **437**; dentatum 276; mucronatum 273; **unispinum 270**, 271, 273, 274; zygnematis 276
Phycomyces 379; blakesleeanus 212, 618
Phyllachora 747; graminis 749
Phyllodontia 109; magnusii 109
Phyllosticta 743, 752; anthoxella 760; bromivora 743; **digitariae** 742, **753**; rogleri 743
Physalospora 842, 847, 848, 850
Physisporus 110; alboater 110; albolilacinus 102, 110; aurantiacus v. saloisensis 101, 110, 122; aurantiacus v. taloisensis 110; caesio-albus 110; crassus 110; eupatorii 111; **flavicans** 111; fragillimus 112; inconstans 112; lacer 113; lenis 113; locellatus 113; luteoalbus 112, 113; makraulos v. nigromarginatus 114; microsporus 114; molluscus * bombycinoides 114; nitidus 114, 116; tener 115; tuber 115; variecolor 114, 115; vitellinulus 114, 116; vitellinus 114–116
Physoderma 95, 97, 587; butomi 765; claytoniana 587–589; claytoniana v. **sparrowii 587**–589; pluriannulata 95, 97; vagans 765
Physopella cherimoliae 604
Physospora 861
Pichia **44**, **45**, 379; **haplophila** 44, **45**, 52, 53
Picoa, 877; juniperi 878; lefebvrei 878; **pachyasmus 877**
Pileolaria extensa 607; mexicana 608
Pilobolus 206; crystallinus 220; kleinii 207, 209, 219, 220, 222
Platycarpa 838
Platygloea 82, 288; arrhytidiae 823, 826, 827, 838; blastomyces 824, 833; brunnea 823, 827; carnea 823, 829; caroliniana 822, 824, 834; cissi 824, 836; decipiens 824, 828, 836; disciformis 821, 823, 825, 831; effusa 824, 835; eriophori 288, 838; fibrosa 823, 832; fimetaria 823, 831; fimicola 831; fusco-atra 826, 838; grandinia 838; hymenolepidis 838; javanica 823, 827; lagerheimii 838; lagerstroemiae 824, 834; longibasidia 824, 833; micra 824, 835; miedzyrzecensis 823, 824; minima 838; nigricans 299, 821, 822, 831; peniophorae 823, 826, 830; pini 838; pustulata 821, 824, 828, 833; sphaerospora 824, 831, 836; subvestita 824, 830, 837; succinea 823, 829; tiliae 831; unispora 823, 828, 832; vestita 824, 831, 837
Pleospora 495, 592, 841; laminariana 495, 504; maritima 495, 504, 505; **pelagica** 501, **504**, 505; pelvetiae 495, 504
Pleurotus 852, 853; **calvescens** 853, **855**, 858, 859; **calyx** 853, **857**–859; **concavus** 853, 855, **856**, 858, 859; dryinus 857, 858; hirtus 852; ostreatus 487, 490, 852, 853
Plicaria 716
Podoporia 116; confluens 116
Polypilus 116; conglobatus 116
Polyporellus 116; albulus 116; brumalis f. trachypus 117; caudicinus 117; hisingeri 117; lepideus 117; lepideus v. submurinus 117; leptocephalus v. terrigenus 117; melanopus 117; sororius 117; tubaeformis 117; varius 117
Polyporus 117, 123; abietinus 108, 110; adustus 103, 105, 121; albellus 100; albolutescens 123; amorphus 100–102, 118; amorphus v. albus 117; anceps 123; betulinus 487; biennis v. distortus 116; borealis 101; borealis v. spathulata 122; brumalis 117; collabens 118; contiguus 118; dichrous 103, 104; dryophilus 107; caesius 100; euporus 118; fagicola 117; fibrillosus 118; flavus 119; floriformis 103, 116; fomentarius 119; fragilis 103; fumosus 101, 102; griseus 167; hians 119; hirsutus 104; holmiensis 102; imberbis 101, 102; immitis 100, 101; inonotus 108; isabellinus 106; karstenii 103; lacteus 100, 101; melanopus 117; mollis 100, 108; osseus 102; pallescens 119; picipes 117; pubescens 104, 107; radiatus 103, 107; rheades 107; rhodellus 118, 121; rixosus 118; rostafinskii 119; rutilans 122; schweinitzii 108; selectus 119; semisupinus 113, 119; sericeomollis 113; sommerfeltii 120; squamosus 117; stipticus 100, 101; sulphureus 117, 167; sulphureus v. semialbinus 167; tephroleucus 101, 103; tomentosus 108; trabeus 101; tulipiferae 113; varius 117; versicolor 487, 490; vulgaris 119; vulpinus 107
Polysphondylium 172, 179, 191, 192, 196; pallidum 192; violaceum 172, 176, 177, 186, 188
Poria 112, 120, 827; albobrunnea 123; aneirina 100; aurantiaca 110; biguttulata 114; blytii 118; bombycina 119; calcea 113, 114; candidissima 112, 115, 123; canescens 120; carbonicola 120; corticola 115, 119; cupora 115; europaea 115; fatiscens

111; **ferrea** 106; ferrugineofusca 120; flavicans 112; labyrinthica 120; lenis 113, 115; loennbohmii 121; luteoalba 114, 115; medulla-panis 16; micans 118; microspora 102, 492; mollusca 112, 114; monticola 102, 110; nigrescens 114; nitida 110, 118; oleagina 111; pannocincta 116; pulchella 115, 116; resinascens 121; reticulata 104; sanguinolenta 104, 110, 116, 121; separabilis 121; sericeomollis 112, 113; **squalens 123**; starbaeckii 121; subacida 115; unita 115, 116; vaillantii 114; viridans 112; vitellinula 116; vulgaris 113; xantha 111, 114, 115, 119

Poromycena 720; violacella 720

Poronidulus conchifer 486

Porpoloma 720–726; subg. **Pes-caprae 722**; subg. **Porpoloma 722**; pes-caprae 722; **portentosum 722**; **sejunctum** 722; terreum 722

Proto-Gymnosporangium 638, 643

Protomyces macrosporus 431

Protoventuria 592, 593, 595

Pseudoarmillariella 725, 726; **ectypoides 725**

Pseudoclitocybe 725, 727; **cyathiformis 725**

Pseudocolus shellenbergiae 327

Pseudogymnoascus 379

Pseudohydnum guepinioides 400

Pseudoomphalina 725, 726; **kalchbrenneri 725**

Ptychogaster rubescens **487**

Ptychoverpa bohemica **717**

Puccinia 126, 128, 131, 161; sect. Bullaria **144**; agnita 574, 575, 585, 589; **ammophilina 604**; anomala 596; aristidae 161; aristidicola 139; bartholomaei 138, 140, 145, 146; beckmanniae 127; **biocellata 605**; boutelouae 129, 135, 140, 144–148; buchloes 161; cacabata 128, 130, 132, 133, 141; campulosi 161; cephalanthi 135; chichenensis 133, 134; chloridicola 136, 138; chloridina 136, 138; chloridis 129, 136, 138–140, 145–147; chloridis-incompletae 129, 131; claytoniae 580; claytoniicola 579, 580, 585, 589; coronata 127; **costina 605**; cynodontis 126, 129, 145, 148, 150, 160; dactyloctenii 136, 138; **degener 605**; desmazieresi 161; dietelii 128, 136–138, 147, 148; diplachnis 146; distichlidis 128, 137, 142, 143; enteropogonis 128–130; epicampes 141; exasperans 128, 133, 137, 140, 146; fraxini 131; gentianae 608; graminis 20, 127, 639, 641; graminis v. tritici 20; helianthi 23; guaranitica 128–130, 133, 134, 145; **gymnopogonicola** 128, 130, **134**, 135, 147, 148; gymnopogonis 135, **144**, 146; hibisciata 141; hordei 596; jalapensis 605; jamesiana 146; kansensis 126, 128, 137, 143; kelseyi 142; leptochloae 129, 145, 150, 151; lojkaiana 599; mariae-wilsoniae 573–579, 588, 589; mariae-wilsoniae v. **mariae-wilsoniae 573**, 585; mariae-wilsoniae v. **montiae 574**, 585, 589; moliniae 161; muhlenbergiae 141; **neorotundata 606**; opuntiae 129, 133, 145, 151; peridermiospora 131; plucheae 606; poae-nemoralis 161; poae-sudeticae 161; rotundata 606; rugosa 606; schedonnardi 128, 137, 141, 142; seymouriana 128, 130, 132, 135, 143; simplex 596; sorghi 330, 334; sparganioides 128–132, 136, 143, 154; spegaziniella 141; stakmanii 132, 133; subglobosa 141; subtilipes 129, 148; trichloridis 145, 147, 148; triodiae 141; varians 149; vexans 128, 133, 137–141; windsoriae 141

Pucciniastrum alaskanum 607

Pycnoporus 121; mimicus 106, 121; palibini 121

Pyrenophora 592

Pyronema confluens 516, 528, 531

Radulum 386

Ramularia 549, 550

Ramulispora 743

Ravenelia cubensis 607; hoffmanseggiae 608; inquirenda 607

Remispora maritima 845, 849

Retinocyclus 865; **abietis** 867, **869**–871; olivaceus 865–871

Rhizidium 276

Rhizina undulata 506, 530

Rhizoctonia choussii 168; solani 744

Rhizophydium digitatum 276; hyalothecae 276; **pedicellatum 274**–276

Rhizopus 379; nigricans 10

Rhodochytrium 429; spilanthidis 427, 431

Rhodotorula 46, 49; aurantica 375; colostri 375; **crocea 44**, 49, **50**, 52, 54; glutinis 371; glutinis v. rubescens 372; minuta 372, 373, 376; mucilaginosa 371–376; pallida 372; rubra 371–373, 376; sanguinea 371

Rhynchosporium 754; secalis 749

Ricnophora carnea 391

Roestelia hyalina 603; **guatemaliana 606**

Rosellinia schumacheri 447

Russula 456; emetica 683

Saccharomyces 44, 45, 342, 379; cerevisiae 455, 478; pastori 52, 53; **pini 44**, **45**, 50–54

Saprolegnia **775**
Sarcoporia 122; polyspora 122
Scherffelia 437
Scherffeliomyces 433; appendiculatus 434, 436, 437; **leptorrhizus 433–438**; **scherffelii 437**, 438; parasitans 434
Schizophyllum 485, 491; commune 399, 487, 488, 490
Schizosaccharomyces 298, 379; octosporus 294, 299
Schizotrichella 733, 735, 736; **lunata** 734, **735**, 736
Schizotrichum 735
Scleroderma 762; cepa 762; chrysastrum 762; lycoperdoides 761, 762; verrucosum 759, 761, 762
Sclerophoma entoxyli 469, 470
Sclerospora 860, 861, 863; sorghi 860
Sclerotinia fructicola 801–803; trifoliorum 885
Sclerotiopsis concava 613
Scolecotrichum graminis **744**
Scopella **bauhiniicola 606**; **sapotae 607**
Scopularia 26
Scopulariopsis 61, 379, 446, **447**, 772; brevicaulis 446; cinerea 63, 446; lunasporus 447; trigonosporus 447
Sebacina 690, 691; subg. Bourdotia 691; galzinii 691; pululahuana 690, 691, 693
Seismosarca 690, 691; alba 690–692; hydrophora 690–692
Selenophoma bromigena 753; donacis 754; donacis v. linearis 742, 754; donacis v. stomaticola 754; obtusa 754
Sepedonium 379
Septogloeum dimorphum 288; oxysporum 755
Septoria anthoxanthina 742, 750; avenae 751; bromi 752; glyceriicola 750, 751; graminum 751; jaculella 752; oudemansii 751; poliomela 750, 751; nodorum 742, 747–751; tenella 742, 752
Serpula 386, **401**
Serratia marcescens 175
Sirobasidium 324; albidum 324, 327; brefeldianum 324, 327; cerasi 324; magnum 324, 327; sanguineum 324, 325, 327
Skierka 637
Sordaria 379, 848; fimicola 167, 345, 379, 687
Sorosporium **apludae 875**; **leersiae** 875, **876**
Spathularia 696, 705; velutipes 696
Speira pelagica 844
Spermospora subulata f. ciliata **744**
Sphaceloma 552, 555
Sphacelotheca isachnes 406; ischaemicola 872; **ischaemi-rugosi 872**, 875; **monakai 406**, 407
Sphaerellopsis 595
Sphaeria albopunctata [illegible] incarcerata 499; macularis 59[illegible] 495, 500
Sphaeroderma 88[illegible] isphaeria 881; theleboloid[illegible]
Sphaerulina 842, 8[illegible] intermixta 847; orae-maris 847; **pedicellata** 843, **846**, 847, 850; vulpina 847
Spicaria divaricata 168
Spilocaea 593
Spilosticta 591–595; macularis 592
Spondylocladium 731; obovatum 731; xylogenum 731
Spongipellis 122; ambiens 122
Sporobolomyces 379
Sporodesmium bakeri 732
Sporonema 612; oxycocci 612; pulvinatum 612
Sporotrichum 379; schenkii 476–478
Stachybotrys atra 730
Stagonospora bromi 748; foliicola 750; simplicior 749, 753; vexatula 753
Stemonitis webberi 612
Stemphylium 379, 732, 844; botryosum 844; codii 844; consortiale 732; lanuginosum 844; **maritimum** 843, **844**, 845, 850; sarcinaeforme 844
Stereum 401, 404; ceriferum 402; hispidulum 402; lugubre 402; pini 400; purpureum **487**
Stictis tiliae 831
Stilbella 732
Stilbum vulgare 682
Streptomyces 377, 628, 656, 658; aureofaciens 628–632; coelicolor 6, 10, 628–632; diastaticus 254; faveolus 628–632; fradiae 628–635; griseus 253, 254, 628–632; lavendulae 253–257, 261, 262, 628–632, 800; nitrificans 883; rimosus 628–632; venezuelae 254–262
Strobilomyces 456
Stysanus 446, 447
Suillus 303, 305; acidus 303; cothurnatus 303; luteus 303, 304; **megaporinus 302**; **pinorigidus 304**; subluteus 303; **subvariegatus 306**; variegatus 305
Syncephalastrum 379
Synchytrium 83, 420, 427, 429, 431, 534, 539, 541–544, 588, 589; subg. Eusynchytrium 540, 546; subg. Pycnochytrium 86, 90, 92–94, 97; subg. Pycnochytrium subgroup Chrysochytrium 95; aecidioides 540; athyrii 94; aureum 86–89, 91; australe 421, 534; borreriae 427; brownii 420, 431; decipiens 540; echii 85, 94, 97; endobioticum 420, 421, 425; epilobii 545; fulgens 420, 421; globosum 87; innominatum 534; ligustici 95, 97; minutum 429, 431; musicola 94; myosotidis

94–97; **namae** 85, **92–94**, 97; **nitidum** 85, **86**, 87, 97; nyctanthidis 94; oxalidis 540; plantagineum 85, 87; plantaginicola 88, 89; **polemonii 84–86**, 97; potentillae 91, 94; punctum 88, 89; pyriforme 94; ranunculi 431; rubrocinctum 94; rhyncosiae 94; selaginellae 94; taraxaci 534, 545; uliginicola 431; ulmariae 94; urticae 431
Syzygospora 677, 683; alba 677

Tachaphantium 822, 838; tiliae 821, 831
Thamnidium 379
Thaxterogaster 720
Thecopsora empetri 602
Thelephora bolaris 391; cinnabarina 391; stereoides 402
Tilletia makutensis 873; **setariae-palmiflorae 873**, 875
Tjibodasia 822; brunnea 827; pezizoides 838
Torula bestae 447; flava 377; herbarum 730; paisii 447
Torulopsis 46, 48; **melibiosum** 44, **48**, **49**, 52, 54; **nitratophila** 44, **48**, 52, 54; pinus 48; utilis 455
Trametes 115, 121, 122; epilobii 122; hispida 118, 121; hoehnelii 103; inaequalis 122; mollis 120; protracta 107, 108; ribicola 122; serialis 102, 118, 123, 492; squalens 122; stereoides 122; subrosea 106, 121; trabea 107
Trechispora 123; onusta 123
Tremella 677, 691; abietina 878–880; albida 690; aurantia 311; deliquescens 878–880; disciformis 831; fimetaria 831; lacrymalis 879; lutescens 311; palmata 311, 318; palulahuana 690–692
Tricellula 322; inaequalis 320
Trichoderma viride 773
Tricholoma 456, 719–721, 725; subg. Dermoloma 724; atrobrunneum 724; cuneifolium 724; elytroides 724, 725, 727; pes-caprae 721, 722; umbrosum 724, 727
Trichomyces 66
Trichophyton 65, 66, 68, 379; acuminatum 67–69, 71, 73, 78; acutulum 78; areolatum 73, 76, 78; bicolor 70, 78; blanchardi 79; cerebriforme 66, 69, 71, 78, 79; cineraceum 70, 78; circonvolutum 69, 73, 76, 78; crateriforme 67–69, 71, 75, 78, 357; currii, 79; depilans 66, 68, 69, 79; effractum 69, 71, 78; epilans 66, 68, 69, 71, 73, 79; exsiccatum 69, 78; flavum 68–71, 79; floriforme 73, 76–78; fumatum 69, 71, 78; fuscum 70; fuscum [v.?] sulcatum 78; germen 78; inflatum 79; metagrophytes 66–68, 76, 359, 362, 365, 452, 477, 478, 480; ochropyrraceum 70, 78; pilosum 69, 78; plicatile 68, 69, 71, 78; plicans [v.?] fusisporum 68; polygonum 69, 78; regulare 69, 78; rotundum 71, 78; rubrum 76, 359, 360, 362, 452, 477 478; sabouraudi 68, 70, 71, 78; spon[illegible]des 79; sulfuratum 79; sulfureum 69, 71, 73, 75, 78, 358; tonsurans 65, 354; tonsurans v. acuminatum 358; tonsurans v. cerebriforme 358; tonsurans v. crateriforme 79, 358; tonsurans v. sulfureum 71, 79, 358; umbilicatum 69, 71, 78; verrucosum 66, 67
Trichosporon 379
Trichothecium 379; roseum 168, 729
Tromera 865; olivacea 869
Truncatella 733, 768
Tympanis 865, 867, 871; abietis 867, 869, 871; amphiboloides 865; olivacea 869

Umbellula 736
Underwoodia 711, 717; campbellii 714, 715; columnaris 717; sparassoides 714
Uraecium **extensum 607**; lucumae 601
Uredinopsis investita 608
Uredo **acaciae-burseriae 607**; **adenocaulonis 607**; **alaskana 607**; ammophilina 604; antiguensis 604; **arida 607**; bauhiniicola 606; biocellata 606; boutelouae 161; chardonii 144; cherimoliae 604; chloridis-berroi 132; chloridis-polydactylidis 132; **consimilis 607**; costina 605; ctenii 161; **cubensis 607**; cupulata 604; dactyloctenii 158; dactylocteniicola 157; degener 605; elusine-indicae 149; empetri 602; erythroxylonis 601; gentianae 608; **hoffmanseggiae 608**; inquirenda 607; **investita 608**; jatrophicola 604; lucumae 601; **mexicana 608**; **neopustulata 608**; **obovata 608**; peridermiospora 131; **piscariae 608**; plucheae 606; pustulata 608; sapotae 607; spartinae-strictae 152, 154; **spigeliae 608**
Uromyces 126–128, 152; acuminatus 143, 152–154, 159, 160; acuminatus [race] magnatus 159; acuminatus [race] polemonii 159; archerianus 152, 153, 155, 156; argutus 152–154; beckmanniae 127; brandegei 148; chloridis 155, 156; claytoniae 575, 585, 589; dactyloctenii 152, 153, 156, 157; dactylocteniicola 152, 157; **eugentianae 608**; gentianae 608; **kenyensis** 152, 153, **158**; leptochloae 152, 153, 160; magnatus 159; microchloae 152, 153, 157; phaseoli 20, 22; spartinae 159;

sprague**ae** 580, 582, 589; trichoneurae 152–154; tripogonicola 154, 155; unitus 580, 581, 584, 589; unitus ssp. **pacificus** 581, **583**–585, 589; unitus ssp. **montanensis** 581, **582**, 584, 585, 589; unitus ssp. **sprague**ae 581, **582**, 584, 585, 589; unitus ssp. **unitus 581**, 584, 585, 589
Ustilago bothriochloae 875; calandriniae 586, 689; calandriniicola 585, 586, 589; claytoniae 586, 589; eriocauli 408; **jagdishwari 407, 408; nelsoniana 585**, 586, 589; **saubouriana 873**, 875

Venturia 591; dianthi 591, 592; inaequalis 592–595; macularis 592; pirina 593; rosae 591–594
Verticillium 379
Vibrissea 696, 697, 703; foliorum 702–704; lutea 706; truncorum 703, 704

Xanthochrous tamaricis 107
Xanthomonas campestris 801; hederae 801; phaseoli 801; pruni 801; vesicatoria 801
Xenogloea 288, 821; eriophori 288, 838
Xeromphalina 723; tenuipes 723
Xylodon candidum f. lenzitoideum 108

Zaghouania 637
Zygorhizidium melosirae 277; planktonicum 276, 277
Zygorhynchus 379
Zygosaccharomyces 42, 45; pastori 42, 44, 45; pini 41–45